

DECLARATION OF PERFORMANCE / DEKLARACIJA O SVOJSTVIMA **No. ACMATT MDF-2017-03-01**

1. Unique identification code of the product-type / Trgovački naziv proizvoda:

Acrylic MATT

Identification code is printed on the each board and consists of production plant, product type, production date and time; and/or is printed on the label attached to the production boards packing / Identifikacijska oznaka je ispisana na svakoj ploči uz dodatak proizvođača, tipa, datuma i vremena proizvodnje; i/ili je ispisana na etiketi koja se nalazi na pakovanju.

2. Intended use or uses of the construction product:

MDF board with matt, resistant to chemicals and scrub resistant surface for furniture production and permanent installation in buildings for non-load-bearing purposes in the danger class 1 according to EN 335-3 / MDF ploča sa mat površinom, otporna na ogrebotine i kemikalije, namijenjena izradi namještaja i unutarnjem opremanju pri niskim opterećenjima, klasa opasnosti 1 u skladu sa HRN EN 335-3

For internal use, including furniture, as a non-structural component in dry conditions / Za unutarnju uporabu u suhim uvjetima kao nekonstrukcijski materijal

3. Name and contact address of the manufacturer / Ime i adresa proizvođača:

KRONOSPAN CRO d.o.o.
Slavonska cesta 17
43000 Bjelovar
Croatia
MBS 010006493
www.kronospan-express.com

4. System of assessment and verification of constancy of performance / Sustav ocjenjivanja I nadzora kvalitete:

System 3

5. The notified factory production control certification body / Ovlašteno certifikacijsko tijelo:

Timber Research and Development Institute, Prague
(Výzkumný a vývojový ústav dřevařský, Praha,s.p.)
Na Florenci 7-9,
111 71 Praha 1
Czech Republic
www.vvud.cz
Notified body no. 1393

The notified factory production control certification body- **Timber Research and Development Institute, Prague** - performed initial inspection of the manufacturing plant and of factory production control and performs continuous surveillance, assessment and evaluation of factory production control under the system 3 as described in harmonised standard **EN 13986: 2004 + A1:2015**

Ovlašteno certifikacijsko tijelo- **Timber Research and Development Institute, Prague** - obavlja inicijalni pregled proizvodnog pogona i tvorničke kontrole proizvodnje i kontinuiranog nadzora, procjene i ocjene tvorničke kontrole proizvodnje u okviru sustava 3 kako je opisano u harmoniziranom standardu **HRN EN 13986: 2004 +A1:2015**

Notified body issued the Product Type-Testing Protokol: / Ovlašteno certifikacijsko tijelo je izdalo Potvrdu o tipnom ispitivanju proizvoda:

No. 1393-CPR-0841

6. Declared performance / deklarirana svojstva

| Technical data | | | |
|------------------------------|--------|-------------------|-----------|
| Property | Norm | Unit | Thickness |
| | | | 18,3 |
| Density | EN 323 | kg/m ³ | 780 ± 20 |
| Internal bond | EN 319 | N/mm ² | >=0,55 |
| Bending strength | EN 310 | N/mm ² | >=20 |
| E- Modul | EN 310 | N/mm ² | >=2200 |
| Swelling in thickness - 24 h | EN 311 | % | <=12 |
| Moisture | EN 322 | % | 5±2 |
| Perforator value (H=6,5%) | EN 120 | mg/100g | max /8,0 |

| Optical properties: | | | |
|------------------------------------|--------------|------|-------|
| Property | Norm | Unit | Value |
| Gloss level (60°) | DIN 67530 | GLE | <8 |
| Scrub resistance | DIN 68861/T4 | N | >2,5 |
| Color stability - 200 h Xenon test | ISO 4892-2 | | <1,7 |

| Dimensional tolerances | | | |
|-------------------------------|----------|------|-------------|
| Property | Norm | Unit | Value |
| Lenght | EN 324-1 | mm/m | ±2 max 5 mm |
| Width | EN 324-1 | mm/m | ±2 max 5 mm |
| Straightness tolerance | EN 324-2 | mm/m | <=1,5 |
| Squareness tolerance | EN 324-2 | mm/m | <=2,0 |
| Thickness | EN 324-1 | mm/m | ±0,2 |

7. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 6 / karakteristike proizvoda navedenog u točkama 1 i 2 su u skladu sa karakteristikama navedenima u točki 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3 / Ova izjava o karakteristikama je izdana u isključivoj odgovornosti proizvođača navedenog u točki 3.

Signed for and on behalf of the manufacturer by / Potpisao u ime proizvođača:

Bjelovar, 01.03.2017.

Marko Vasić
/Plant Manager/

