

ROCKO

Tiles by Kronospan



WATERPROOF WALL SYSTEM



R107 Moroccan



ROCKO

Tiles by Kronospan









CONTENTS

- 05** assortment
- 05** surface textures
- 05** overview
- 06** product range
- 57** accessories



R102 Venato Nature

assortment

collection	size	water proof	Soft touch	number of SKU's
Stones	2800 x 1230 x 4 mm			10
Bosco	2800 x 1230 x 4 mm			3
Oriente	2800 x 1230 x 4 mm			2
Color	2800 x 1230 x 4 mm			7
				22



Scratch resistant



Waterproof



Stain proof and easy to clean




Soft touch



Dimensionally stable

surface textures




STONES

2800 x 1230 x 4 mm



R100
Carrara Bianco, PT



R101
Statuario, PT



R102
Venato Nature, PT



R109
Concrete, PT



R103
Calacatta, PT



K367
Cream Navona, PT



K024
Beige Pietra Marble, PT



R104
Rainforest Brown, PT



R105
Copper Lamiera, PT



K026
Grey Pietra Marble, PT



K349
Silk Flow, PT



R106
Marquina, PT



R106 **Marquina**



Flooring: R071 Crystal Shore, SO

R100

Carrara Bianco



Flooring: R071 **Crystal Shore**, SO

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah





R101

Statuario

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah






Flooring: R095 Venato, PT

R102

Venato Nature



Flooring: R095 Venato, PT

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah





R109

Concrete

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





Flooring: R062 Konstrukta, PT

R103

Calacatta



Flooring: R062 Konstrukta, PT

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah





K349

Silk Flow

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





K367

Cream Navona

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





Flooring: R062 Konstrukta, PT

K024

Beige Pietra Marble



Flooring: R062 Konstrukta, PT

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah





R104

Rainforest Brown

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





Flooring: R072 Derelicta, SO

R105

Copper Lamiera



Flooring: R072 *Derelicta*, SO

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





K026

Z

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah






R106

Marquina



R102 Venato Nature - s.14

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah



BOSCO

2800 x 1230 x 4 mm




K365
Coast Evoke Oak, FN



R099
Vintage Herringbone, PT



K366
Fossil Evoke Oak, FN



K354 Vintage Herringbone



Flooring: R072 Derelicta

K365

Coast Evoke Oak



Flooring: R072 Derelicta

thickness 4 mm
format 2800 x 1230 mm
texture FN
Flanders Oak






R099

Vintage Herringbone

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





Flooring: R096 Como, PT

K366

Fossil Evoke Oak



Flooring: R096 Como, PT

thickness	4 mm
format	2800 x 1230 mm
texture	FN Flanders Oak



ORIENT

2800 x 1230 x 4 mm



R107
Moroccan, PT



R108
Safi Wood, PT




R108 Safi Wood



R107

Maroccan

thickness 4 mm
format 2800 x 1230 mm
texture PT
Peetah





R108


Safi Wood

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah



COLOR

2800 x 1230 x 4 mm



8681
Brilliant White, PT

0564
Almond, PT


5981
Cashmere, PT

1700
Steel Grey, PT

0171
Slate Grey, PT



R171 Slate Grey



8681

Brilliant White


thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah



0564

Almond

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah






5981

Cashmere

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





1700

Steel Grey

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah





0171

Slate Grey

thickness	4 mm
format	2800 x 1230 mm
texture	PT Peetah




ACCESSORIES










profiles, connectors




Internal corner - profile 2800 mm



External corner - profile 2800 mm



C - profile - profile 2800 mm



T - profile - profile 2800 mm



adhesives, compounds, insulation

Sealing Membrane 30mx1m



Three-layer insulating and sealing mat to be used under Rocko Tiles boards. Enables quick and flexible sealing in wet areas, especially in direct contact with water.

Rocko Tiles cleaning agent



Rocko Tiles cleaning agent 500 ml – removes dirt and limescale; does not leave grey film and greasy residue. It does not damage the surface.












Adhesive









One-component, ready to use, flexible, solvent-free assembly adhesive and sealant. Has a very good adhesion to most materials and substrates used in construction works.

Available in 290ml cartridges and foil packages 600 ml.












Dry area installation










R102 Venato Nature

Wet area installation





K026 Grey Pietra Marble

ROCKO

Tiles by Kronospan



www.rocko-vinyl.com

1/01/2021/EN

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.

kronospan

Distributor:

Kronoflooring Sp. z o.o.

39-300 Mielec

ul. Wojska Polskiego 3

T +48 17 58 22 200

F +48 17 58 22 300

sales.jaslo@kronospan.pl

Producer:

Kronoflooring Sp. z o.o.

38-200 Jasło

ul. Przemysłowa 10

T +48 13 44 24 901